


Transitioning birds from barns to flight pens

By: Brian Klein

b.klein@pheasant.com




1 - 21 days in A room

22-45+ days in B room





TEMP SCHEDULE



1 Degree a day early – After Day 7

3-5 Degrees a day – After Day 25



Transporting 7 week old birds quickly from barn to pen


SEASONS

- Early season: Late April – Early June
 - Little to no cover to start
- Summer: Mid June – August
 - Thick and growing cover
- Late season: September – November
 - Cover has been used, and no longer growing



Little to no cover – but it's coming!

Birds must be put out at "1/2 Density" – until cover is Knee high+




Watching Wind Direction

Rotate Huts as Needed



ONE HUT PER 100 BIRDS – MINIMUM 4 PER PEN



BIRDS WILL GO TO THE CORNER WIND IS BLOWING TOWARD. ALLOW EASY ACCESS INTO HUT!



EARLY SEASON

Keep everything close



APPROACHING “SUMMER SEASON”

This slide shows a good view of a path

SUMMER SEASON



LATE SEASON

THIS IS THE END OF THE PEN OPPOSITE THE FEEDERS AND AUTOMATIC WATERS – NOTE SMALL FEEDER, THERE IS ALSO A WATER PAN



KEEP EVERYTHING CLOSE TO CORNER



Allowing more square footage for “2nd Use”



**Moving out during abnormal cold – morning after
move-out. NOTE: frost & line of birds on corn**